

### CH2MHILL





# Proposed Statewide Fish Tissue Monitoring Program for Mercury

Sherrill Doran, CH2M HILL Don Essig, IDEQ Robbin Finch, Boise City

January 4, 2005 15th Annual Nonpoint Source Water Quality Monitoring Results Workshop



#### Outline

- Background on the Fish Tissue Criterion for Mercury
- Proposed Statewide Monitoring Approach
- Next Steps



## Background

- Fish tissue criterion for mercury promulgated by EPA in 2001
  - Radically different concept in water quality protection
    - Fish tissue based criterion
    - Driven by human health exposure
  - Regulates methylmercury in fish tissue, versus total mercury in water column





## Negotiated Rulemaking

- IDEQ began Negotiated Rulemaking process in Fall 2003 to promulgate methylmercury standard in Idaho
  - Idaho Mining Association petition
  - First state to promulgate standard and implementation guidance
  - No formal EPA implementation guidance available



#### Committee Members

- Members of Negotiated Rulemaking Committee included (among others)
  - Agencies: IDEQ, EPA Region 10, NOAA, USFWS
  - Mining: Idaho Mining Association, Hecla
  - Municipalities: Association of Idaho
     Cities, Boise, Meridian, Idaho Falls
  - Environmental Groups: Idaho
     Conservation League, Advocates for the West
  - Industry: Idaho Association of Industry and Commerce



## Implementation Guidance

- Introduction of Fish Tissue Criterion
- Idaho Fish Tissue Criterion
- Monitoring and Assessment
- TMDL Program
- NPDES Program
- Protection of Aquatic Species
- Integration with Other Programs









## Implementation Guidance

- Introduction of Fish Tissue Criterion
- Idaho Fish Tissue Criterion
- Monitoring and Assessment
- TMDL Program
- NPDES Program
- Protection of Aquatic Species
- Integration with Other Programs










# Why the interest in mercury in fish?

- Five Idaho water bodies have mercury advisories
  - Brownlee
  - C. J. Strike
  - Lake Coeur d'Alene
  - Lake Lowell
  - Salmon FallsCreek Reservoir







# What are the sources of mercury in Idaho?

- Natural sources
  - Naturally-occurring ore associated with epithermal gold deposits and hot springs/volcanoes, geologicallyenriched soils
- Anthropogenic sources
  - Historic placer mining
  - Gold ore roasting in northern Nevada
  - Air emissions from regional combustion sources



**CH2MHILL** 








# What do the available mercury data in Idaho show?

- Limited Idaho studies on mercury in fish tissue, mostly focused on areas likely to present a health risk
- USGS monitoring since 1992
  - Of 69 tissue samples collected,20% >= 3.0 mg/Kg
  - Of water samples collected,  $7\% >= 0.77 \mu g/L$ 
    - EPA's 2002 recommended chronic aquatic life criteria




### Lake Coeur d'Alene Data





# Jordan Creek and Yankee Fork Data





# Proposed Statewide Monitoring Approach

- Currently, mercury monitoring is conducted only as required by
  - Selected NPDES permits
  - Periodic USGS monitoring
  - Periodic Idaho Fish Consumption
     Advisory Program monitoring
  - TMDL drivers



# Benefits of Statewide Approach

- Provides more reliable data
- Covers unknowns using combination of deterministic (targeted) and probabilistic (random) sampling
- Offers cost effectiveness
- Focuses on avoiding wasted monitoring, not avoiding monitoring waste



# Relies on Fish Tissue Monitoring Only

 Concentrations of mercury in fish tissue represent a long-term integrated exposure to mercury throughout a water body

 Compliance with Idaho's water quality standards will be driven by fish tissue data




## Hybrid Monitoring Approach

- Statewide ambient monitoring
  - Impacts of discharges on aquatic life directly tie into the TMDL program and NPDES permitting
- Facility/source monitoring
  - Discharges of mercury to the environment need to be tracked (facility/source)



# Tiered Approach


- 4th level
   HUCs
   aggregated
   into three
   regions,
   then
   prioritized
- n = 84 total
- n = ~23/year





#### Prioritization Criteria

- 1. Potential or actual mercury contamination in the water body
- 2. Frequency of fishing activities
- 3. NPDES discharger requirements
- 4. Public interest in the water body



#### Schedule

- Initially, within each regional basin, each HUC to be sampled at least once every 5 years
  - Higher priority sampled earlier in 5year cycle
- Adaptive approach allows shifting of resources as data available
  - High-priority sampled more frequently



### Waterbody Selection

- Deterministic
  - Reservoirs/lakes have highest priority, followed by 5th order rivers, and lastly 4th order and lower
  - Two core sites per region monitored annually
- Probabilistic
  - HUCs that do not include deterministic stations, representative of varied conditions



## Sampling Protocols

- Rely largely on IFCAP protocols for data transferability
- Target resident species
  - Reservoirs/lakes: bass initially
  - Streams: regional-specific, but highest trophic level present
- 10 samples per location
  - Composite initially analyzed
  - If concentration is within 20% of criterion, individuals will be analyzed
- Skinless fillets



## Next Steps

- Rule was adopted by IDEQ Board in November 2004, will be introduced in 2005 legislative session
  - EPA approval required to become final
- Monitoring approach in guidance is proposed
  - Expected to be refined based on input from stakeholders



## Questions?